

**Series 4, built-in fridge-freezer with freezer at bottom, 177.2 x 54.1 cm, sliding hinge KIV86VSE0G**



**Optional accessories**

KSZB6R00 Bottle Rack  
KSZGGM00 Butter box

**The spacious built-in fridge-freezer combination with VitaFresh XXL keeps food fresh for longer.**

- **Eco Airflow:** maintains optimal air circulation and a constant temperature level throughout the cooling area.
- **Low Frost:** defrost less often thanks to reduced frost – saving time, effort and energy.
- **Quiet appliances:** enjoy a calm and relaxing home.
- **LED lighting:** all your items in perfect view.

**Technical Data**

Energy Efficiency Class<sup>1</sup>: ..... E  
Average annual energy consumption in kilowatt hour per year (kWh/a): ..... 229 kWh/annum  
Sum of volume of frozen compartments: ..... 84 l  
Sum of volume of chill compartments: ..... 183 l  
Airborne acoustical noise emissions : ..... 35 dB(A) re 1pW  
Airborne acoustical noise emission class: ..... B  
Built-in / Free-standing: ..... Built-in  
Door panel options: ..... Not possible  
Height: ..... 1772 mm  
Width of the appliance: ..... 541 mm  
Depth: ..... 548 mm  
Required niche size for installation (HxWxD): ... 1775 x 560 x 550 mm  
Net weight: ..... 51.3 kg  
EAN code: ..... 4242005241927  
Fuse protection: ..... 10 A  
Door hinge: ..... Right reversible  
Voltage: ..... 220-240 V  
Frequency: ..... 50 Hz  
Length electrical supply cord: ..... 230.0 cm  
Number of compressors: ..... 1  
Number of independent cooling systems: ..... 1  
Interior ventilator: ..... No  
Reversible Door Hinge: ..... Yes  
Number of Adjustable Shelves in fridge compartment: ..... 3  
Shelves for Bottles: ..... Yes  
Frost free system: ..... Not applicable  
Installation typology: ..... Integrated



<sup>1</sup> Scale of Energy Efficiency Classes from A to G

## **Series 4, built-in fridge-freezer with freezer at bottom, 177.2 x 54.1 cm, sliding hinge KIV86VSE0G**

- EU19\_Fast freezer facility\_D: yes
- Noise Level : 35 dB
- Temperature rise time : EU19\_Temperature rise time\_D: 9 H

### **The spacious built-in fridge-freezer combination with VitaFresh XXL keeps food fresh for longer.**

- 
- KIV86VSE0G
  - easy Installation

#### **Functions**

- Bright interior LED fridge light
- SuperFreezing function with automatic deactivation
- Optical and acoustical door open warning

#### **Design features**

- LED electronic control

#### **Design features**

- 4 safety glass shelves in fridge compartment of which 3 are height adjustable
- 1 removable door storage compartments.
- 3 door bins

#### **Freshness System**

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer

#### **Food freshness system**

- LowFrost - less ice creation and therefore quicker defrosting
- 3 transparent freezer drawers, including 1 BigBox

#### **Dimension and installation**

- Dimensions: 177.2 cm H x 54.1 cm W x 54.8 cm D
- Niche Dimensions: 177.5 cm H x 56 cm W x 55 cm D

#### **Key features - Fridge section**

- Right hinged door, reversible door
- 220 - 240 V

#### **Key features - Freezer section**

- 1 x ice cube tray

#### **Country Specific Options**

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

#### **Design features**

#### **Dimension and installation**



#### **Additional features**

#### **Performance and Consumption**



- EU19\_EEK\_D: E
- Total Volume : 267 l
- Net Fridge Volume : 183 l
- Net Freezer Volume : 84 l
- Net 4\* compartment volume : 84 l
- Freezing capacity 24h : 4.2 kg
- Annual Energy Consumption: 229 kWh/a
- Climate Class: SN-ST

**Series 4, built-in fridge-freezer with  
freezer at bottom, 177.2 x 54.1 cm,  
sliding hinge  
KIV86VSE0G**


measurements in mm



A: Air inlet  $\geq 200 \text{ cm}^2$ ; Ventilation options  
B: Air outlet  $\geq 200 \text{ cm}^2$ ; Ventilation options



Measurements in mm



A:  $\geq 560 \text{ mm}$  (recommended)  
B: Socket

The specified unit door dimensions  
are valid for a door gap of 4 mm.

measurements in mm