

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

**BOSTIK COLOURS FOR CEMENT BRICK RED** 

Revision date 25-Jul-2023 Supercedes Date: 25-Jul-2023 Revision Number 1.02

This Safety Data Sheet is prepared voluntarily: it is not required according to Article 31 of Regulation (EC) No 1907/2006

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

BOSTIK COLOURS FOR CEMENT BRICK RED **Product Name** 

Other means of identification

Mixture Pure substance/mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use **Pigment** 

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

**Company Name** 

**Bostik Industries Limited** Newtown, Swords Co. Dublin Ireland Tel: +353 (1) 8624900

Fax: +353 (1) 8402186

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Ireland **NPIC - National Poison Information Centre** 

Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week)

Healthcare Professionals: +353 (01) 8092566 (24 hour service)

Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) **United Kingdom** 

**Europe** 

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

### Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

Ireland - BE Page 1/10

**BOSTIK COLOURS FOR CEMENT BRICK RED** 

Revision date 25-Jul-2023 Supercedes Date: 25-Jul-2023 Revision Number 1.02

#### 2.3. Other hazards

Product dust may be irritating to eyes, skin and respiratory system.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

The product contains no substances which at their given concentration, are considered to be hazardous to health

#### Full text of H- and EUH-phrases: see section 16

# **Acute Toxicity Estimate**

No information available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand.

Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Inhalation

Eye contact Do not rub affected area. Immediately flush with plenty of water. After initial flushing,

remove any contact lenses and continue flushing for at least 15 minutes. Consult an

ophthalmologist.

Brush off loose particles from skin. Remove material from skin immediately. Take off Skin contact

contaminated clothing and wash it before reuse.

Ingestion Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Causes serious eye damage. Irritating to skin. Inhalation of dust in high concentration

> may cause irritation of respiratory system. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in

wet cement even when wearing trousers.

Ireland - BE Page 2/10

**BOSTIK COLOURS FOR CEMENT BRICK RED** 

Revision date 25-Jul-2023 Supercedes Date: 25-Jul-2023 Revision Number 1.02

#### 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors No information available.

# **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

**Hazardous combustion products** Carbon oxides. Carbon dioxide (CO2).

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid generation of dust. Do not get in eyes, on skin, or on clothing. Use personal

protective equipment as required.

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

**Environmental precautions** Prevent product from entering drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Cover powder spill with plastic sheet or tarp to minimise spreading and keep powder dry.

Prevent dust cloud.

Methods for cleaning up Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect

dust. Use appropriate personal protective equipment (PPE). Carefully shovel or sweep

up spilled material and place in suitable container. Avoid generating dust.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Ensure adequate ventilation. Avoid generation of dust. Avoid contact with skin, eyes or Advice on safe handling

clothing. Use personal protection equipment. Take off contaminated clothing and wash it

before reuse.

Ireland - BE Page 3/10

**BOSTIK COLOURS FOR CEMENT BRICK RED** 

Revision date 25-Jul-2023 Supercedes Date: 25-Jul-2023 Revision Number 1.02

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep the packing dry and well sealed to prevent contamination and absorption of

humidity.

7.3. Specific end use(s)

Specific use(s) Pigment.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Observe technical data sheet. Other information

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

This product, as supplied, does not contain any hazardous materials with occupational **Exposure Limits** 

exposure limits established by the region specific regulatory bodies

Chemical name	European Union	Ireland	United Kingdom
Limestone	-	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
1317-65-3		TWA: 4 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>	STEL: 30 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>	STEL: 12 mg/m <sup>3</sup>
Iron oxide (Fe2O3)	-	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
1309-37-1		TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
		TWA: 4 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>
		STEL: 10 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>	STEL: 30 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>	STEL: 12 mg/m <sup>3</sup>

**Derived No Effect Level (DNEL)** No information available

Predicted No Effect Concentration No information available. (PNEC)

8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166

Hand protection Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the

breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Gloves should be replaced regularly and if there is any sign of damage to the glove

material.

Skin and body protection Avoid contact with skin, eyes or clothing. Wear appropriate personal protective clothing

to prevent skin contact.

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required. Avoid

generation of dust. Possible nuisance dust.

black. Wear a respirator conforming to EN 140 with Type P2/P3 filter or better. Recommended filter type:

Ireland - BE Page 4/10

**BOSTIK COLOURS FOR CEMENT BRICK RED** 

Supercedes Date: 25-Jul-2023 Revision Number 1.02

Revision date 25-Jul-2023

Environmental exposure controls No information available.

# SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateSolidAppearancePowderColourRedOdourOdourless.Odour thresholdNot applicable

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing point Not applicable . °C

Initial boiling point and boiling Not applicable . °C None known

range

Flammability No data available None known Flammability Limit in Air None known

**Upper flammability or explosive** No data available

limits

Lower flammability or explosive No data available

limits

Flash point Not applicable . °C None known Autoignition temperature No data available None known

Decomposition temperature

No data available 
None known solution (1 %

pH No data available - solution (1 %). pH (as aqueous solution).
pH (as aqueous solution)
4 - 8 None known
None known
None known

Dynamic viscosity

Water solubility<0.1 g/l.</th>None knownSolubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownVapour pressureNo data availableNone knownRelative densityNo data availableNone known

Bulk Density 0.3 - 1.2 g/cm3

**Density** No data available

Relative vapour density No data available None known

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

Solid content (%) 100 Softening Point Not relevant

VOC content No data available

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available Not applicable .

# SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** Product cures with moisture.

10.2. Chemical stability

Ireland - BE Page 5/10

**BOSTIK COLOURS FOR CEMENT BRICK RED** 

Revision date 25-Jul-2023 Supercedes Date: 25-Jul-2023 Revision Number 1.02

Stability Keep away from Incompatible materials. Stable under recommended storage conditions.

**Explosion data** 

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Product cures with moisture.

10.5. Incompatible materials

Strong oxidising agents. Acids. Aluminium. Incompatible materials

10.6. Hazardous decomposition products

Hazardous decomposition

None under normal use conditions. Stable under recommended storage conditions.

products

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Information on likely routes of exposure

### **Product Information**

Inhalation Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Eve contact

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

### Symptoms related to the physical, chemical and toxicological characteristics

No information available. **Symptoms** 

Acute toxicity

### Numerical measures of toxicity

# The following values are calculated based on chapter 3.1 of the GHS document

>5000 mg/kg ATEmix (oral) ATEmix (dermal) >5000 mg/kg >20000 ppm ATEmix (inhalation-gas) ATEmix (inhalation-dust/mist) >5 mg/l ATEmix (inhalation-vapour) >20 mg/l

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Based on available data, the classification criteria are not met. Skin corrosion/irritation

Ireland - BE Page 6/10

**BOSTIK COLOURS FOR CEMENT BRICK RED** 

Supercedes Date: 25-Jul-2023

Revision date 25-Jul-2023 Revision Number 1.02

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

**Reproductive toxicity**Based on available data, the classification criteria are not met.

**STOT - single exposure**Based on available data, the classification criteria are not met.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

11.2.2. Other information

Other adverse effects No information available.

# **SECTION 12: Ecological information**

12.1. Toxicity

**Ecotoxicity** 

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

**Bioaccumulation** 

12.4. Mobility in soil

**Mobility in soil** No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the

Ireland - BE Page 7/10

**BOSTIK COLOURS FOR CEMENT BRICK RED** 

Revision date 25-Jul-2023 Supercedes Date: 25-Jul-2023 Revision Number 1.02

threshold of declaration.

#### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

#### 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

**European Waste Catalogue** 

17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09

01, 17 09 02 and 17 09 03

10 13 06 particulates and dust (except 10 13 12 and 10 13 13)

Cured product can be treated as construction waste. In the management of larger quantities consult with local authorities and local waste disposal company

10 13 14 waste concrete and concrete sludge

Other information

Waste codes should be assigned by the user based on the application for which the

product was used.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

**Special Provisions** None

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated

14.5 Marine pollutant NP 14.6 Special precautions for user **Special Provisions** None

14.7 Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

#### Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

Ireland - BE Page 8/10

Revision date 25-Jul-2023

#### **BOSTIK COLOURS FOR CEMENT BRICK RED**

Supercedes Date: 25-Jul-2023 Revision Number 1.02

# 14.6 Special precautions for user Special Provisions None

# Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**European Union** 

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

# Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

### National regulations

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

#### **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE: Specific target organ toxicity - Repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

Ireland - BE Page 9/10

**BOSTIK COLOURS FOR CEMENT BRICK RED** 

Revision date 25-Jul-2023 Supercedes Date: 25-Jul-2023 Revision Number 1.02

Legend SECTION 8: Exposure controls/personal protection

TWA (time-weighted average) TWA **STEL** STEL (Short Term Exposure Limit)

AGW Occupational exposure limit value Biological limit value **BGW** Ceiling Maximum limit value Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

#### Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)

European Chemicals Agency (ECHA) (ECHA API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

NIOSH (National Institute for Occupational Safety and Health)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

**Product Safety & Regulatory Affairs** Prepared By

25-Jul-2023 **Revision date** 

**Training Advice** No information available

**Further information** No information available

# Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Regulation (EC) No. 1272/2008 and Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Ireland - BE Page 10 / 10