

SAFETY DATA SHEET

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2015/830

Soudal Swipex

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Soudal Swipex Registration number REACH : Not applicable (article)

Product type REACH : Special carrier material containing a substance/mixture

: The information refers to the substance/mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Detergent according to Regulation (EC) No 648/2004 Cosmetic product

1.2.2 Uses advised against

No uses advised against known

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

SOUDAL N.V. Everdongenlaan 18-20 B-2300 Turnhout **2** +32 14 42 42 31 +32 14 42 65 14 msds@soudal.com

Manufacturer of the product

SOUDAL N.V. Everdongenlaan 18-20 B-2300 Turnhout **2** +32 14 42 42 31 +32 14 42 65 14 msds@soudal.com

1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch): +32 14 58 45 45 (BIG)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

2.2. Label elements

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Supplemental information

EUH208 Contains: (R)-p-mentha-1,8-diene. May produce an allergic reaction.

2.3. Other hazards

No other hazards known

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark
ethanol	64-17-5	1% <c<5%< th=""><th>Flam. Liq. 2; H225</th><th>(1)(2)(6)(8)(10)</th><th>Constituent</th></c<5%<>	Flam. Liq. 2; H225	(1)(2)(6)(8)(10)	Constituent
01-2119457610-43	200-578-6		Eye Irrit. 2; H319		

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)

Technische Schoolstraat 43 A, B-2440 Geel

http://www.big.be © BIG vzw

Reason for revision: 2:3 Revision number: 0300

Publication date: 2011-12-02 Date of revision: 2015-12-03

Product number: 51564 1/11

- (1) For H-statements in full: see heading 16
- (2) Substance with a Community workplace exposure limit
- (6) Enumerated in Annex VI of Regulation (EC) No. 1272/2008 but the classification has been adapted after evaluation of available test data
- (8) Specific concentration limits, see heading 16
- (10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

If you feel unwell, seek medical advice.

After inhalation:

Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

After skin contact:

Wash immediately with lots of water. Take victim to a doctor if irritation persists.

After eye contact:

Rinse with water. Take victim to an ophthalmologist if irritation persists.

After ingestion:

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms

The following symptoms may appear when the components are released:

After inhalation:

No effects known.

After skin contact:

No effects known.

After eye contact:

ON CONTINUOUS EXPOSURE/CONTACT: Irritation of the eye tissue. Redness of the eye tissue.

After ingestion:

No effects known.

4.2.2 Delayed symptoms

No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Water spray. Polyvalent foam. BC powder. Carbon dioxide.

5.1.2 Unsuitable extinguishing media:

No unsuitable extinguishing media known.

5.2. Special hazards arising from the substance or mixture

Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

5.3.1 Instructions:

No specific fire-fighting instructions required.

5.3.2 Special protective equipment for fire-fighters:

Gloves. Protective clothing. Heat/fire exposure: compressed air/oxygen apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No naked flames.

6.1.1 Protective equipment for non-emergency personnel

See heading 8.2

6.1.2 Protective equipment for emergency responders

Gloves. Protective clothing.

Suitable protective clothing

See heading 8.2

6.2. Environmental precautions

. Use appropriate containment to avoid environmental contamination.

6.3. Methods and material for containment and cleaning up

Reason for revision: 2;3 Publication date: 2011-12-02 Date of revision: 2015-12-03

Revision number: 0300 Product number: 51564 2/11

Pick-up the material. Clean contaminated surfaces with an excess of water.

6.4. Reference to other sections

See heading 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Keep away from naked flames/heat. Observe strict hygiene. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Store in a cool area. Keep out of direct sunlight. Keep only in the original container. Meet the legal requirements. Max. storage time: 1 year(s).

7.2.2 Keep away from:

Heat sources.

7.2.3 Suitable packaging material:

No data available

7.2.4 Non suitable packaging material:

No data available

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

The Netherlands

Ethanol	Time-weighted average exposure limit 8 h (Public occupational	136 ppm
	exposure limit value)	
	Time-weighted average exposure limit 8 h (Public occupational	260 mg/m³
	exposure limit value)	
	Short time value (Public occupational exposure limit value)	992 ppm
	Short time value (Public occupational exposure limit value)	1900 mg/m³

Belgium

Alcool éthylique	Time-weighted average exposure limit 8 h		1000 ppm		
		Time-weighted av	erage exposure limit 8	h	1907 mg/m³
				/	

USA (TLV-ACGIH)

Germany			
Ethanol	Time-weighted average exposure limit 8 h (TRGS	900)	500 ppm

Short time value (TLV - Adopted Value)

Time-weighted average exposure limit 8 h (TRGS 900)

1000 ppm

960 mg/m³

rance

Ethanol

France		
Alcool éthylique	Time-weighted average exposure limit 8 h (VL: Valeur non	1000 ppm
	réglementaire indicative)	
	Time-weighted average exposure limit 8 h (VL: Valeur non	1900 mg/m³
	réglementaire indicative)	
	Short time value (VL: Valeur non réglementaire indicative)	5000 ppm
	Short time value (VL: Valeur non réglementaire indicative)	9500 mg/m³

UK

Ethanol	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	1000 ppm
	1 -1 //	1920 mg/m³

b) National biological limit values

If limit values are applicable and available these will be listed below.

8.1.2 Sampling methods

If applicable and available it will be listed below.

Ethanol (Volatile Organic compounds)	NIOSH	2549
ethanol	NIOSH	8002
Ethyl Alcohol (Ethanol)(Alcohols I)	NIOSH	1400

Reason for revision: 2;3 Publication date: 2011-12-02
Date of revision: 2015-12-03

Revision number: 0300 Product number: 51564 3 / 11

Ethyl Alcohol OSHA 100

8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 DNEL/PNEC values

DNEL/DMEL - Workers

ethanol

Effect level (DNEL/DMEL)	Туре	Value	Remark
DNEL	Long-term systemic effects inhalation	950 mg/m³	
	Acute local effects inhalation	1900 mg/m³	
	Long-term systemic effects dermal	343 mg/kg bw/day	

DNEL/DMEL - General population

ethanol

Effect level (DNEL/DMEL)	Туре	Value	Remark
DNEL	Long-term systemic effects inhalation	114 mg/m³	
	Acute local effects inhalation	950 mg/m³	
	Long-term systemic effects dermal	206 mg/kg bw/day	
	Long-term systemic effects oral	87 mg/kg bw/day	

PNEC

ethanol

Compartments	Value	Remark
Fresh water	<mark>0.96 mg/</mark> l	
Marine water	<mark>0.79 mg</mark> /l	
Aqua (intermittent rele <mark>ases)</mark>	<mark>2.75 mg</mark> /l	
STP	<mark>580 mg/l</mark>	
Fresh water sediment	3.6 mg/kg sediment dw	
Marine water sediment	2.9 mg/kg sediment dw	
Soil	<mark>0.63 mg/</mark> kg soil dw	
Oral	<mark>0.72 g/kg</mark> food	

8.1.5 Control banding

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

8.2.2 Individual protection measures, such as personal protective equipment

Observe strict hygiene. Keep container tightly closed. Do not eat, drink or smoke during work.

a) Respiratory protection:

Wear gas mask with filter type A if conc. in air > exposure limit.

b) Hand protection:

Hand protection not required in normal conditions.

c) Eye protection:

Eye protection not required in normal conditions.

d) Skin protection:

Skin protection not required in normal conditions.

8.2.3 Environmental exposure controls:

See headings 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Moistened tissues
Odour	Pleasant odour
Odour threshold	No data available
Colour	White
Particle size	Not applicable
Explosion limits	No data available
Flammability	Contains (highly) flammable component(s) which do not involve any flammable risk
Log Kow	Not applicable (mixture)
Dynamic viscosity	Not applicable
Kinematic viscosity	Not applicable
Melting point	No data available
Boiling point	100 °C
Flash point	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Vapour pressure	23 hPa

Reason for revision: 2;3 Publication date: 2011-12-02
Date of revision: 2015-12-03

Revision number: 0300 Product number: 51564 4 / 11

Solubility	water ; insoluble		
Relative density	No data available		
Decomposition temperature	No data available		
Auto-ignition temperature	No data available		
Explosive properties	No chemical group associated with explosive properties		
Oxidising properties	No chemical group associated with oxidising properties		
рН	No data available		

9.2. Other information

Absolute density	No data available	

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Keep away from naked flames/heat.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

Upon combustion: CO and CO2 are formed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

11.1.1 Test results

Acute toxicity

Soudal Swipex

No (test)data on the mixture available

<u>ethanol</u>

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value	Remark
						determination	
Oral	LD50	OECD 401	10470 mg/kg bw		Rat (male/female)	Experimental value	
Skin						Data waiving	
Inhalation	LC50	Equivalent to OECD	124.7 mg/l air	4 h	Rat (male/female)	Experimental value	
		403					

Judgement is based on the relevant ingredients

Conclusion

Not classified for acute toxicity

Corrosion/irritation

Soudal Swipex

No (test)data on the mixture available

ethanol

Route of exposure	Result	Method	Exposure time	Time point	-	Value determination	Remark
Eye	Irritating	OECD 405		24; 48; 72 hours		Experimental value	
Skin	Not irritating	OECD 404		1; 2; 3; 4; 5; 7 days	Rabbit	Experimental value	Single treatment

Judgement is based on the relevant ingredients

Conclusion

Not classified as irritating to the skin

Not classified as irritating to the eyes

Not classified as irritating to the respiratory system

Respiratory or skin sensitisation

Soudal Swipex

No (test)data on the mixture available

Reason for revision: 2;3 Publication date: 2011-12-02
Date of revision: 2015-12-03

Revision number: 0300 Product number: 51564 5 / 11

<u>ethanol</u>

Route of exposure	Result	Method	 Observation time point	Species	Value determination	Remark
Dermal		Equivalent to OECD		Mouse (male)	Experimental value	

Judgement is based on the relevant ingredients

Conclusion

Not classified as sensitizing for inhalation

Not classified as sensitizing for skin

Specific target organ toxicity

Soudal Swipex

No (test)data on the mixture available

ethanol

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time		Value determination
Oral	LOAEL	Equivalent to OECD 408	1730 mg/kg	Liver; kidney		7 weeks (daily) - 14 weeks (daily)		Experimental value
Inhalation	NOAEL		> 20 mg/l air		No effect	26 day(s)	(/	Experimental value

Judgement is based on the relevant ingredients

Conclusion

Not classified for subchronic toxicity

Mutagenicity (in vitro)

Soudal Swipex

No (test)data on the mixture available

ethanol

Result	Method	Test substrate	Effect	Value determination
Negative	Equivalent to OECD 476	Mouse (lymphoma L5178Y	No effect	Experimental value
		cells)		

Mutagenicity (in vivo)

Soudal Swipex

No (test)data on the mixture available

<u>ethano</u>

Result	Method	Exposure time	Test substrate	Organ	Value determination
Negative	Equivalent to OECD	5 days (1x/day)	Mouse (male)	General	Experimental value
	478			la.	

Carcinogenicity

Soudal Swipex

No (test)data on the mixture available

ethanol

Route of	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value
exposure								determination
Oral	NOAEL	Equivalent to	> 3000 ppm	04 weeks (daily)	Rat	No carcinogenic		Experimental
		OECD 451			(male/female)	effect		value

Reproductive toxicity

Soudal Swipex

No (test)data on the mixture available

ethanol

	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Developmental toxicity	NOAEL	Equivalent to OECD 414	≥ 20000 ppm	20 days (7h/day)	Rat (male)	No effect	Stomach	Experimental value
Maternal toxicity	NOAEL	Equivalent to OECD 414	16000 ppm	20 days (7h/day)	Rat	No effect		Experimental value
Effects on fertility	NOAEL (P)	Equivalent to OECD 416	20700 mg/kg bw/day	18 week(s)	Mouse (male/female)	No effect		Experimental value
	NOAEL (F1)	Equivalent to OECD 416	13800 mg/kg bw/day	18 week(s)	Mouse (male/female)	No effect	sperm parameters of estrous	Experimental value

Judgement is based on the relevant ingredients

Conclusion CMR

Not classified for carcinogenicity

Reason for revision: 2;3 Publication date: 2011-12-02
Date of revision: 2015-12-03

Revision number: 0300 Product number: 51564 6 / 11

Not classified for mutagenic or genotoxic toxicity

Not classified for reprotoxic or developmental toxicity

Toxicity other effects

Soudal Swipex

No (test)data on the mixture available

Chronic effects from short and long-term exposure

Soudal Swipex

ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Dry skin. Cracking of the skin. Skin rash/inflammation.

SECTION 12: Ecological information

12.1. Toxicity

Soudal Swipex

No (test)data on the mixture available

ethanol

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	US EPA	15300 mg/l	96 h		Flow-through system	Fresh water	Experimental value
Acute toxicity invertebrates	LC50	ASTM E729- 80	5012 mg/l	48 h	Ceriodaphnia dubia	Static system	Fresh water	Experimental value; Nominal concentration
Toxicity algae and other aqu <mark>ation plants</mark>	EC50	Equivalent to OECD 201	<mark>275 m</mark> g/l	3 day(s)	Chlorella vulgaris	Static system	Fresh water	Experimental value; Nominal concentration
Long-term toxicity fish	ChV		245 mg/l	30 day(s)			Fresh water	QSAR
Long-term toxicity aquatic invertebrates	NOEC	Other	9.6 mg/l	9 day(s)		Semi-static system	Fresh water	Experimental value; Nominal concentration
Toxicity aquatic micro- organisms	EC50	Other	5800 mg/l	4 h	Paramaecium caudatum	Static system	Fresh water	Experimental value; Nominal concentration

Judgement of the mixture is based on the relevant ingredients

Conclusion

Not classified as dangerous fo<mark>r the environment according to the crit</mark>eria of Regulation (EC) No 1272/2008

12.2. Persistence and degradability

ethanol

Biodegradation water

Method	Value	Duration	Value determination
Other	84 %; Oxygen consumption	20 day(s)	Experimental value

Phototransformation air (DT50 air)

Method	Value	Conc. OH-radicals	Value determination	
	40 h	500000 /cm ³	Calculated value	

Conclusion

Contains readily biodegradable component(s)

12.3. Bioaccumulative potential

Soudal Swipex

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

<u>ethanol</u>

BCF fishes

Parameter I	Method	Value	Duration	Species	Value determination
BCF	Other	1 - 4.5	<mark>72 h</mark>	Cyprinus carpio	Read-across

Log Kow

Method	Remark	Value	Temperature	Value determination
OECD 107		<mark>-0.3</mark> 5	24 °C	Experimental value

Conclusion

Contains bioaccumulative component(s)

12.4. Mobility in soil

Reason for revision: 2;3 Publication date: 2011-12-02
Date of revision: 2015-12-03

Revision number: 0300 Product number: 51564 7/11

<u>ethanol</u>

(log) Koc

Parameter		Method	Value	Value determination
log Koc			0	Calculated value

Percent distribution

Method	Fraction air	Fraction sediment	Fraction soil	Fraction water	Value determination
Mackay level III	53.2 %	0.1 %	13.7 %	33.1 %	QSAR

Conclusion

Contains component(s) that adsorb(s) into the soil

Contains component(s) with potential for mobility in the soil

12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

12.6. Other adverse effects

Soudal Swipex

Global warming potential (GWP)

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

<u>ethanol</u>

Ground water

Ground water pollutant

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

15 02 03 (absorbents, filter materials, wiping cloths and protective clothing: absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02). Depending on branch of industry and production process, also other waste codes may be applicable. Can be considered as non-hazardous waste according to Regulation (EU) No 1357/2014.

13.1.2 Disposal methods

Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber with energy recovery. Remove waste in accordance with local and/or national regulations. Do not discharge into drains or the environment.

13.1.3 Packaging/Container

No data available.

Class

Reason for revision: 2;3

SECTION 14: Transport information

Road (ADR)		
14.1. UN number		
Transport		Not subject
14.2. UN proper shipping na	me	Hot subject
14.3. Transport hazard class		
Hazard identification nu		
Class		
Classification code		
14.4. Packing group		
Packing group		
Labels		
14.5. Environmental hazard	S	
Environmentally hazard		no
14.6. Special precautions fo	ruser	
Special provisions		
Limited quantities		
Rail (RID)		
14.1. UN number		
Transport		Not subject
14.2. UN proper shipping na	ime	
14.3. Transport hazard class	(es)	
Hazard identification nu	mber	

Revision number: 0300 Product number: 51564 8 / 11

Publication date: 2011-12-02

Date of revision: 2015-12-03

Soudal Swipex				
Classification code				
14.4. Packing group				
Packing group				
Labels				
14.5. Environmental hazards				
Environmentally hazardous substance mark	no			
14.6. Special precautions for <mark>user</mark>				
Special provisions				
Limited quantities				
Inland waterways (ADN) 14.1. UN number				
Transport	Not subject			
14.2. UN proper shipping name				
14.3. Transport hazard class(es)				
Class				
Classification code				
14.4. Packing group				
Packing group				
Labels				
14.5. Environmental hazards				
Environmentally hazardous substance mark	no			
14.6. Special precautions for user				
Special provisions				
Limited quantities				
Sea (IMDG/IMSBC) 14.1. UN number				
Transport	Not subject			
14.2. UN proper shipping name				
14.3. Transport hazard class(es)				
Class				
14.4. Packing group				
Packing group				
Labels				
14.5. Environmental hazards				
Marine pollutant				
Environmentally hazardo <mark>us substance mark</mark>	no			
14.6. Special precautions for user				
Special provisions				
Limited quantities				
14.7. Transport in bulk according to Annex II of Marpol and the IBC Cod	de Transfer de la companya del companya de la companya del companya de la company			
Annex II of MARPOL 73/78				
Air (ICAO-TI/IATA-DGR)				
14.1. UN number				
Transport	Not subject			
14.2. UN proper shipping name				
14.3. Transport hazard class(<mark>es)</mark>				
Class				
14.4. Packing group				
Packing group				
Labels				
14.5. Environmental hazards				
Environmentally hazardous substance mark	no			
14.6. Special precautions for user				
Special provisions				
Passenger and cargo transport: limited quantities: maximum net qu	uantity			
per packaging				
SECTION 15: Regulatory information				
	. I'm and the control of the control			
15.1. Safety, health and environmental regulations/legisla	ation specific for the substance or mixture			
European legislation:				
VOC content Directive 2010/75/EU				
VOC content	Remark			
< 6 %				
< 60 g/l				
Decree for an initial 2-2	Dubling!'s - 1-1 - 2044 42 02			
Reason for revision: 2;3	Publication date: 2011-12-02			
	Date of revision: 2015-12-03			

Revision number: 0300 Product number: 51564 9 / 11

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

and use of certain dan	gerous substances, mixtures and articles.	To my control
	Designation of the substance, of the group of substances or of the mixture	Conditions of restriction
ethanol	Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the	Shall not be used in: ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
	criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008:	 tricks and jokes, games for one or more participants, or any article intended to be used as such, even ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the
	(a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8	market.3. Shall not be placed on the market if they contain a colouring agent, unless 1 required for fiscal reasons, or perfume, or both, if they:
	and 2, 2.14 categories 1 and 2, 2.15 types A to F;	 can be used as fuel in decorative oil lamps for supply to the general public, and, present an aspiration hazard and are labelled with R65 or H304,4. Decorative oil lam
	(b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic	for supply to the general public shall not be placed on the market unless they conform the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).5. Without prejudice to the implementation of ot
	effects, 3.9 and 3.10; (c) hazard class 4.1; (d) hazard class 5.1.	Community provisions relating to the classification, packaging and labelling of dangerous ubstances and mixtures, suppliers shall ensure, before the placing on the market, that following requirements are met:
		a) lamp oils, labelled with R65 or H304, intended for supply to the general public are vis legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the rea children"; and, by 1 December 2010, "Just a sip of lamp oil — or even sucking the wick of the control of the real children".
		lamps — may lead to life- threatening lung damage"; b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general publi legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter m
		lead to life threatening lung damage"; c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the gene public are packaged in black opaque containers not exceeding 1 litre by 1 December 20
		No later than 1 June 2014, the Commission shall request the European Chemicals Agen prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H30
		intended for supply to the general public.7. Natural or legal persons placing on the mar for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1
		December 2011, and annually thereafter, provide data on alternatives to lamp oils and lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.
ethanol	Substances classified as flammable gases category 1 or 2, flammable liquids categories	Shall not be used, as substance or as mixtures in aerosol dispensers where these aero dispensers are intended for supply to the general public for entertainment and decorate.
	 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 	purposes such as the following: — metallic glitter intended mainly for decoration, — artificial snow and frost,
	2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to	— "whoopee" cushions,— silly string aerosols,— imitation excrement,
	that Regulation or not.	— horns for parties, — decorative flakes and foams, — artificial cobwebs,
		— stink bombs. 2. Without prejudice to the application of other Community provisions of the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is many visibly, legibly and indelibly with: "For professional users only". 3. By way of derogation, paragraphs 1 and 2 shall not apply the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC.4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market
National legislation The Neth	perlands	unless they conform to the requirements indicated.
Soudal Swipex		
Waste identification (the Netherlands)	, , , , , , , , , , , , , , , , , , , ,)3
Waterbezwaarlijkheid ethanol	11	
SZW - List of carcinogen substances	ic Listed in SZW-list of carcinogenic substa	nces
SZW - List of reprotoxic substances (fertility)	May have an effect on fertility	
SZW - List of reprotoxic substances (development	Hazardous to the foetus May cause harm to breastfed babies	
	iviav cause nami to preastreu napies	
SZW - List of reprotoxic substances (brest-feeding	ng)	
substances (brest-feedir National legislation Germany Soudal Swipex	ng) '	
substances (brest-feeding) National legislation Germany	ng) '	
substances (brest-feedir National legislation Germany Soudal Swipex	1; Classification water polluting based or	n the components in compliance with Verwaltungsvorschrift wassergefährden (4) Publication date: 2011-12-02

Revision number: 0300 Product number: 51564 10 / 11

<u>ethanol</u>			
MAK - Krebserzeugend	5		
Kategorie			
MAK - Keimzellmutagen	5		
Kategorie			
Schwangerschaft Gruppe	С		
MAK 8-Stunden-Mittelwert	Ethanol; 500 ppm		
ppm			
MAK 8-Stunden-Mittelwert	Ethanol; 960 mg/m³		
mg/m³			
TA-Luft	5.2.5		

National legislation France

Soudal Swipex No data available

National legislation Belgium

Soudal Swipex No data available

Other relevant data

Soudal Swipex

No data available

| LARC - classification | 1; Alcohol beverages | TLV - Carcinogen | Ethanol; A3

15.2. Chemical safety assessment

No chemical safety assessment is required.

SECTION 16: Other information

Full text of any H-statements referred to under headings 2 and 3:

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

(*) = INTERNAL CLASSIFICATION BY BIG

PBT-substances = persistent, bioaccumulative and toxic substances

CLP (EU-GHS) Classification, labelling and packaging (Globally Harmonised System in Europe)

Specific concentration limits CLP

ethanol C≥50 % Eye Irrit 2;H319 ECHA

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Old versions must be destroyed. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 2;3 Publication date: 2011-12-02
Date of revision: 2015-12-03

Revision number: 0300 Product number: 51564 11 / 11