

EVO-STIK CREO-COAT LIGHT
Supersedes Date: 10-Aug-2018

Revision Date 10-Aug-2018
Revision Number 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name EVO-STIK CREO-COAT LIGHT
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Coatings and paints, thinners, paint removers.
Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name
Bostik Industries Limited
Newtown, Swords
Co. Dublin Ireland
Tel: +353 (1) 8624900
Fax: +353 (1) 8402186

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom	+44 (1785) 272650
Ireland	+353 (1) 8624900 (Monday- Friday 9am-5pm)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aspiration hazard	Category 1 - (H304)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains Naphtha, petroleum, hydrodesulfurized heavy <0.1% w/w Benzene, Hydrocarbons, C10-C13, alkanes, isoalkanes, cyclics, <2% aromatics



Signal word
DANGER

Hazard statements

Safety Data Sheet

EVO-STIK CREO-COAT LIGHT
Supersedes Date: 10-Aug-2018

Revision Date 10-Aug-2018
Revision Number 1

H412 - Harmful to aquatic life with long lasting effects
H304 - May be fatal if swallowed and enters airways

EU Specific Hazard Statements

EUH066 - Repeated exposure may cause skin dryness or cracking

Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children
P271 - Use only outdoors or in a well-ventilated area
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor
P331 - Do NOT induce vomiting
P262 - Do not get in eyes, on skin, or on clothing
P264 - Wash skin thoroughly after handling
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
P273 - Avoid release to the environment
P391 - Collect spillage
P405 - Store locked up
P501 - Dispose of contents/ container to an approved waste disposal plant

Additional information

This product requires child resistant fastenings if supplied to the general public
This product requires tactile warnings if supplied to the general public

2.3. Other Hazards

General Hazards

No information available.

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical Name	EC No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Lubricating oils, used	274-635-9	70514-12-4	40 - <80			01-2119517646-35 -XXXX
Naphtha, petroleum, hydrodesulfurized heavy <0.1% w/w Benzene	265-185-4	64742-82-1	10 - <20	STOT SE 3 (H336) Asp. Tox. 1 (H304) Aquatic Chronic 2 (H411) Flam. Liq. 3 (H226) (EUH066)		01-2119458049-33 -XXXX
Asphalt	232-490-9	8052-42-4	10 - <20			01-2119480172-44 -XXXX
Hydrocarbons, C10-C13, alkanes, isoalkanes, cyclics, <2% aromatics	918-481-9	--	5 - <10	Asp. Tox. 1 (H304) (EUH066)		01-2119457273-39 -XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006)

Safety Data Sheet

EVO-STIK CREO-COAT LIGHT
Supersedes Date: 10-Aug-2018

Revision Date 10-Aug-2018
Revision Number 1

(REACH), Article 59)

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	If symptoms persist, call a doctor. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing.
Inhalation	Remove to fresh air. Call a doctor. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.
Skin Contact	Consult a doctor if necessary. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a doctor.
Ingestion	Do NOT induce vomiting. Rinse mouth. Drink 1 or 2 glasses of water. Call a doctor or poison control centre immediately.
Self-Protection of the First Aider	Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause skin and eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically. Aspiration hazard if swallowed - can enter lungs and cause damage.

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Extinguishing powder. Foam. Carbon dioxide (CO₂). Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Use personal protective equipment as required. Ventilate affected area. Remove all sources of ignition.

Safety Data Sheet

EVO-STIK CREO-COAT LIGHT
Supersedes Date: 10-Aug-2018

Revision Date 10-Aug-2018
Revision Number 1

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Cover liquid spill with sand, earth or other non-combustible absorbent material. Use personal protective equipment as required. Dam up. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product.

General Hygiene Considerations

When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

7.3. Specific end use(s)

Other Information

Observe technical data sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical Name	European Union	Ireland	United Kingdom
Asphalt 8052-42-4	-	TWA: 0.5 mg/m ³ STEL: 10 mg/m ³	STEL: 10 mg/m ³ TWA: 5 mg/m ³
Hydrocarbons, C10-C13, alkanes, isoalkanes, cyclics, <2% aromatics --	-	-	1200 mg/m ³ 171ppm 8h TWA

Chemical Name	European Union	Ireland	United Kingdom
Naphtha, petroleum, hydrodesulfurized heavy <0.1% w/w Benzene 64742-82-1	-	-	STEL: 600 mg/m ³
Hydrocarbons, C10-C13, alkanes, isoalkanes, cyclics, <2% aromatics --	-	-	1200 mg/m ³ 171ppm 8h TWA

Safety Data Sheet

EVO-STIK CREO-COAT LIGHT
Supersedes Date: 10-Aug-2018

Revision Date 10-Aug-2018
Revision Number 1

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/Face Protection

Tight sealing safety goggles.

Hand Protection

Wear protective gloves. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves.

Skin and Body Protection

Suitable protective clothing.

Respiratory Protection

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment.

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Liquid
Colour	light brown
Odour	Characteristic, Petroleum distillates
Odour Threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No information available	
Melting point / freezing point	No information available	
Boiling point / boiling range	> 200 °C / 392 °F	
Flash Point	> 160 °C / > 320 °F	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability or explosive limits	No information available	
Lower flammability or explosive limits	No information available	
Vapour Pressure	No information available	
Vapour Density	No information available	
Relative Density	0.880	
Water Solubility	Insoluble	
Solubility in Other Solvents	Oil	
Partition coefficient	No information available	
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Explosive Properties	No information available	
Oxidising Properties	No information available	
Kinematic Viscosity	No information available	

Dynamic Viscosity No information available

9.2. Other information

Softening Point	No information available
Molecular Weight	No information available
Solvent content (%)	No information available
Solid content (%)	No information available
Density	No data available

Safety Data Sheet

EVO-STIK CREO-COAT LIGHT
Supersedes Date: 10-Aug-2018

Revision Date 10-Aug-2018
Revision Number 1

Bulk Density No data available
VOC (volatile organic compound) No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under normal conditions.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

Strong oxidising agents, Acids.

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

No information or data specific to the product on this toxicological (health) effect is available.

Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	Potential for aspiration if swallowed. Aspiration may cause pulmonary edema and pneumonitis.
Sensitisation	No data available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation	Repeated exposure may cause skin dryness or cracking.
Serious eye damage/eye irritation	Not applicable.
Sensitisation	Not applicable.
Germ Cell Mutagenicity	Not applicable.

Safety Data Sheet

EVO-STIK CREO-COAT LIGHT
 Supersedes Date: 10-Aug-2018

Revision Date 10-Aug-2018
 Revision Number 1

Carcinogenicity	Not applicable.
Reproductive Toxicity	No information available.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	Risk of serious damage to the lungs (by aspiration). May be fatal if swallowed and enters airways.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document mg/kg

Component Information

Toxicity Data Data obtained on the component(s) include

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Naphtha, petroleum, hydrodesulfurized heavy <0.1% w/w Benzene 64742-82-1	> 5000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	-
Hydrocarbons, C10-C13, alkanes, isoalkanes, cyclics, <2% aromatics --	DL50 >5000 mg/kg (Rat)	DL50 >2000 mg/kg (Rabbit)	LC50 (8h) >5000 mg/m ³ Rat - Vapours

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity Harmful to aquatic life with long lasting effects

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Lubricating oils, used 70514-12-4	-	LC50 96 h >100 mg/L (Pimephales promelas static) (OECD Guideline 203)	EC50 48 h > 22500 mg/L (Artemia salina)	
Naphtha, petroleum, hydrodesulfurized heavy <0.1% w/w Benzene 64742-82-1	-	96 Hr 4.5-23 mg/L (Pimephales promelas) OECD guideline 203	LC50 96 h = 2.6 mg/L (Chaetogammarus marinus) 4.5mg/L (Daphnia magna) OECD guideline 202	
Hydrocarbons, C10-C13, alkanes, isoalkanes, cyclics, <2% aromatics --	LEO (72h) =1000 mg/L Algae (Pseudokirchneriella subcapitata)	LLO (96h) =1000 mg/L Fish (Oncorhynchus mykiss)	LEO (48h) =1000 mg/L Waterflea (Daphnia magna)	

12.2. Persistence and degradability

Not readily biodegradable.

12.3. Bioaccumulative potential

No information available.

Safety Data Sheet

EVO-STIK CREO-COAT LIGHT
Supercedes Date: 10-Aug-2018

Revision Date 10-Aug-2018
Revision Number 1

Partition coefficient No information available

12.4. Mobility in soil

Mobility in soil After release, adsorbs onto soil.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No information available

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal.

Other Information Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

Land transport (ADR/RID)

14.1 UN Number UN3082

14.2 Proper Shipping Name Environmentally hazardous substances, liquid, n.o.s (Naphtha, petroleum, hydrodesulfurized heavy <0.1% w/w Benzene)

14.3 Transport hazard class(es) 9

Labels 9

14.4 Packing Group III

Description UN3082, Environmentally hazardous substances, liquid, n.o.s (), 9, III

14.5 Environmental hazards Yes

14.6 Special Provisions 274, 335, 601, 375

Classification Code M6

Limited Quantity (LQ) 5 L

ADR Hazard Id (Kemmler Number) 90

IMDG

14.1 UN Number UN3082

14.2 Proper Shipping Name Environmentally hazardous substances, liquid, n.o.s (Naphtha, petroleum, hydrodesulfurized heavy <0.1% w/w Benzene), Marine Pollutant

14.3 Transport hazard class(es) 9

14.4 Packing Group III

Description UN3082, Environmentally hazardous substances, liquid, n.o.s (), 9, III, Marine Pollutant

14.5 Marine Pollutant P

14.6 Special Provisions 274, 335, 969

Limited Quantity (LQ) 5 L

EmS-No. F-A, S-F

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Safety Data Sheet

EVO-STIK CREO-COAT LIGHT
Supersedes Date: 10-Aug-2018

Revision Date 10-Aug-2018
Revision Number 1

Air transport (ICAO-TI / IATA-DGR)

14.1 UN Number	UN3082
14.2 Proper Shipping Name	Environmentally hazardous substances, liquid, n.o.s (Naphtha, petroleum, hydrodesulfurized heavy <0.1% w/w Benzene)
14.3 Transport hazard class(es)	9
14.4 Packing Group	III
Description	UN3082, Environmentally hazardous substances, liquid, n.o.s (Naphtha, petroleum, hydrodesulfurized heavy <0.1% w/w Benzene), 9, III
14.5 Environmental hazards	Yes
14.6 Special Provisions	A97, A158, A197
Limited Quantity (LQ)	30 kg G
ERG Code	9L

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

15.2. Chemical safety assessment

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Safety Data Sheet

EVO-STIK CREO-COAT LIGHT
Supersedes Date: 10-Aug-2018

Revision Date 10-Aug-2018
Revision Number 1

Full text of H-Statements referred to under section 3

H336 - May cause drowsiness or dizziness
H304 - May be fatal if swallowed and enters airways
H411 - Toxic to aquatic life with long lasting effects
H226 - Flammable liquid and vapour
EUH066 - Repeated exposure may cause skin dryness or cracking

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend SECTION 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
STOT (RE): Specific target organ toxicity - Repeated exposure
STOT (SE): Specific target organ toxicity - Single exposure
EWC: European Waste Catalogue

Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By Product Safety & Regulatory Affairs

Revision Date 10-Aug-2018

Indication of changes

Revision Note Not applicable.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet