

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

BOSTIK PVA Supercedes Date: 14-Aug-2017

#### Revision Date 31-Oct-2018 Revision Number 1.02

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product NameBOSTIK PVAPure substance/mixtureMixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended usePrimers, Sealers, and Undercoaters.Uses advised againstNone known

1.3. Details of the supplier of the safety data sheet

Company Name Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

#### E-mail address

SDS.box-EU@bostik.com

#### 1.4. Emergency telephone number

 United Kingdom
 +44 (1785) 272650

 Ireland
 +353 (1) 8624900 (Monday- Friday 9am-5pm)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Not classified

#### 2.2. Label Elements

Not classified

Signal word None

Hazard statements Not classified

#### **EU Specific Hazard Statements**

EUH208 - Contains Mixture, 3(2H)-isothiazolone, 5-chloro-2-methyl- with 2-methyl-3(2H)-isothiazolone. May produce an allergic reaction

#### **Precautionary statements**

P101 - If medical advice is needed, have product container or label at hand P102 - Keep out of reach of children P280 - Wear protective gloves and eye/face protection

# 2.3. Other Hazards

# BOSTIK PVA Supercedes Date: 14-Aug-2017

No information available

#### PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

# **SECTION 3: Composition/information on ingredients**

## 3.1 Substances

Not applicable

## 3.2 Mixtures

Chemical Name	EC No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
2,2,4-Trimethyl-1,3-pent anediol diisobutyrate	229-934-9	6846-50-0	0.1 - <1	Repr. 2 (H361d) Aquatic Chronic 3 (H412)		01-2119451093- 47-XXXX
Vinyl acetate	203-545-4	108-05-4	0.1 - <1	STOT SE 3 (H335) Carc. 2 (H351) Acute Tox. 4 (H332) Flam Liq. 2 (H225) Aquatic Chronic 3 (H412)		01-2119471301- 50-XXXX
Methyl alcohol	200-659-6	67-56-1	0.1 - <1	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Flam. Liq. 2 (H225)	STOT SE 1 :: C>=10% STOT SE 2 :: 3%<=C<10%	01-2119392409- 28-XXXX
2-Bromo-2-nitro-1,3-prop anediol	200-143-0	52-51-7	0.01 - <0.1	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Acute =10		01-2119980938- 15-XXXX
Mixture, 3(2H)-isothiazolone, 5-chloro-2-methyl- with 2-methyl-3(2H)-isothiazo	611-341-5	55965-84-9	<0.0015	Acute Tox. 3 (H301) Acute Tox. 3 (H311)	Eye Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1B :: C>=0.6%	No data available

# BOSTIK PVA Supercedes Date: 14-Aug-2017

lone	Acute Tox. 2 Skin Irrit. 2 ::
	(H330) 0.06%<=C<0.6%
	Skin Corr. 1B Skin Sens. 1 ::
	(H314) C>=0.0015%
	Skin Sens. 1
	(H317)
	Aquatic Acute 1
	(H400)
	Aquatic Chronic
	1 (H410)
	M Factor Acute =
	100
	M Factor Chronic
	= 10

# Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

General advice	Take a copy of the Safety Data Sheet when going for medical treatment.		
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.		
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention if irritation develops and persists.		
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.		
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms	No information available.		
4.3. Indication of any immediate medical attention and special treatment needed			
Note to doctors	Treat symptomatically.		

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
Unsuitable extinguishing media	Full water jet. Do not scatter spilled material with high pressure water streams.		
5.2. Special hazards arising from the substance or mixture			
Specific hazards arising from the chemical	Thermal decomposition can lead to release of toxic and corrosive gases/vapours.		

### BOSTIK PVA Supercedes Date: 14-Aug-2017

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

#### 5.3. Advice for firefighters

Special protective equipment for	Firefighters should wear self-contained breathing apparatus and full firefighting turnout
fire-fighters	gear. Use personal protection equipment.

# SECTION 6: Accidental release measures

6.1. Personal precautions, protect	ive equipment and emergency procedures
Personal precautions	Ensure adequate ventilation. Avoid contact with eyes.
Other information	Ventilate the area. Prevent further leakage or spillage if safe to do so.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Do not flush into surface water or sanitary sewer system. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.
6.3. Methods and material for cont	ainment and cleaning up
Methods for containment	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Advice on safe handling	Ensure adequate ventilation. Avoid contact with eyes. Use personal protection recommended in Section 8.		
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Take off all contaminated clothing and wash it before reuse.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Keep away from food, drink and animal feedingstuffs.		
7.3. Specific end use(s)			
<b>Specific Use(s)</b> Primers, Sealers, and Undercoaters.			
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.		
Other Information	Observe technical data sheet.		

# **SECTION 8: Exposure controls/Personal protection**

# 8.1. Control parameters

**Exposure Limits** 

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)			
2,2,4-Trimethyl-1,3-pentanediol diisobutyrate (6846-50-0)			
Туре	Worker Systemic health effects Long term		
Exposure route	Dermal		
Derived No Effect Level (DNEL)	3.12 mg/kg bw/d		
Type Exposure route Derived No Effect Level (DNEL)	Worker Systemic health effects Long term Inhalation 110 mg/m <sup>3</sup>		

Derived No Effect Level (DNEL)			
2,2,4-Trimethyl-1,3-pentanediol diisobutyrate (6846-50-0)			
Туре	Consumer Systemic health effects Long term		
Exposure route	Dermal		
Derived No Effect Level (DNEL)	18.8 mg/kg bw/d		
Туре	Consumer Systemic health effects Long term		
Exposure route	Inhalation		
Derived No Effect Level (DNEL)	32.6 mg/m <sup>3</sup>		
Туре	Consumer Systemic health effects Long term		
Exposure route	Oral		
Derived No Effect Level (DNEL)	18.8 mg/kg bw/d		

# **Predicted No Effect Concentration** No information available. **(PNEC)**

Predicted No Effect Concentration (PNEC)			
2,2,4-Trimethyl-1,3-pentanediol diisobutyrate (6846-50-0)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	0.014 mg/l		
Marine water	0.0014 mg/l		
Freshwater sediment	1.15 mg/kg dry weight		
Marine sediment	0.115 mg/kg dry weight		
Soil	0.926 mg/kg dry weight		
Microorganisms in sewage treatment	3 mg/l		

#### 8.2. Exposure controls

**Engineering Controls** 

Ensure adequate ventilation, especially in confined areas.

#### **Personal Protective Equipment**

Eye/Face Protection	Wear safety glasses with side shields (or goggles). Avoid contact with eyes.
Skin and Body Protection	Wear protective gloves and protective clothing.
Respiratory Protection	During spraying wear suitable respiratory equipment.

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical State Appearance Colour Odour Odour Threshold	Liquid viscous White Slight, Petroleum No information available	
<u>Property</u>	<u>Values</u>	Remarks • Method
pH	4 - 6	
Melting point / freezing point	0°C	
Boiling point / boiling range	100 °C	
Flash Point	No data available	Not applicable
Evaporation Rate	No data available	
Flammability (solid, gas)	No data available	
Flammability Limit in Air		
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive limits	No data avallable	
Vapour Pressure	No data available	
Vapour Pressure Vapour Density	No data available	
Relative Density	1.05 -	None known
Water Solubility	Dispersible	None known
Solubility(ies)	No data available	
Partition coefficient	No data available	
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
Kinematic Viscosity	No data available	
Dynamic Viscosity	No data available	
Explosive properties	No data available	
Oxidising properties	No data available	
9.2. Other information Solid content (%) Softening Point Molecular Weight VOC (volatile organic compound) Density Bulk Density	28 No information available No information available No information available No information available No information available	

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

Reactivity	No information available.
10.2. Chemical stability	
Stability	Stable under normal conditions.
Explosion Data Sensitivity to mechanical impact Sensitivity to static discharge	None.
10.3. Possibility of hazardous reac	tions_

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid	
Conditions to avoid	None known based on information supplied.
10.5. Incompatible materials	
Incompatible materials	None known based on information supplied.
10.6. Hazardous decomposition pro	oducts
Hazardous decomposition products	Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.
SECTION 11: Toxicological i	nformation

11.1. Information on toxicological effects

#### Information on likely routes of exposure

**Product information** 

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.
Symptoms related to the physical,	chemical and toxicological characteristics

Symptoms

No information available.

Numerical measures of toxicity

#### **Acute Toxicity**

# The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	88,939.00 mg/kg
ATEmix (inhalation-dust/mist)	445.58 mg/l
ATEmix (inhalation-vapour)	2,668.00 mg/l

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2,2,4-Trimethyl-1,3-pentanedio	> 3200 mg/kg (Rat)	>2000 mg/Kg (Rabbit)	> 5.3 mg/L (Rat) 6 h
l diisobutyrate			_
6846-50-0			
Vinyl acetate	= 2900 mg/kg (Rat)	= 2335 mg/kg (Rabbit)	= 11.4 mg/L (Rat) 4 h = 3680
108-05-4			ppm (Rat)4h
Methyl alcohol	= 2500 mg/kg (Rat)	200-1000 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h =
67-56-1			64000 ppm (Rat) 4 h
2-Bromo-2-nitro-1,3-propanedi	= 180 mg/kg (Rat)	= 1600 mg/kg (Rat)	= 800 mg/m <sup>3</sup> (Rat) 4 h > 5
ol			g/m³(Rat)6 h
52-51-7			
Mixture, 3(2H)-isothiazolone,	= 53 mg/kg (Rat)		
5-chloro-2-methyl- with			
2-methyl-3(2H)-isothiazolone			
55965-84-9			

Delayed and immediate effects as well as chronic effects from short and long-term exposure			
Skin corrosion/irritation	Based on available data, the classification criteria are not met.		
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.		
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.		
Germ cell mutagenicity	Based on available data, the classification criteria are not met.		
Serious eye damage/eye irritation Respiratory or skin sensitisation	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.		

Carcinogenicity Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name		European Union	
Vinyl acetate 108-05-4		Carc. 2	
Reproductive toxicity	Based on available data, the classification criteria are not met.		
STOT - single exposure	Based on available data, the classification criteria are not met.		
STOT - repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based on available data, the classification criteria are not met.		

# **SECTION 12: Ecological information**

# 12.1. Toxicity

# Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Toxicity to Micro-organisms	Crustacea	M-Factor
2,2,4-Trimethyl-1,3-pent anediol diisobutyrate 6846-50-0	-	LC50: >1.55mg/L (96h, Pimephales promelas)	-	EC50: >1.46mg/L (48h, Daphnia magna)	-
Vinyl acetate 108-05-4	-	LC50 96 h = 14 mg/L (Pimephales promelas static)	EC50 = 2080 mg/L 5 min	EC50 48 h = 12.6 mg/L (Daphnia magna )	-
Methyl alcohol 67-56-1	-	LC50: 19500 - 20700mg/L (96h, Oncorhynchus mykiss) LC50: 18 - 20mL/L (96h, Oncorhynchus mykiss) LC50: >100mg/L (96h, Pimephales promelas) LC50: =28200mg/L (96h, Pimephales promelas) LC50: 13500 - 17600mg/L (96h, Lepomis macrochirus)	EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min	_	-
2-Bromo-2-nitro-1,3-prop anediol	EC50 (72h) =0.37 mg/L	=35.7 mg/L (Lepomis	EC50 = 0.41 mg/L 30 min	EC50 (48h) =1.4 mg/L (Daphnia	-

#### BOSTIK PVA Supercedes Date: 14-Aug-2017

### Revision Date 31-Oct-2018 Revision Number 1.02

52-51-7	(Pseudokirchneriell	macrochirus) Flow	EC50 = 0.50 mg/L	magna, static)	
	a subcapitata)	through (EPA OPP	15 min	(OECD 202)	
	(OECD 201)	72-1)	EC50 = 0.91 mg/L		
			5 min		
Mixture,	EC50 (72h) =0.048	EC50 (96h) = 0.22	-	EC50 (48h) =0.1	-
3(2H)-isothiazolone,	mg/L	mg/L		mg/L (Daphnia	
5-chloro-2-methyl- with	(Pseudokirchneriell	(Oncorhynchus		magna) (OECD	
2-methyl-3(2H)-isothiazo	a subcapitata)	mykiss) (OECD		202)	
lone	(OECD 201)	211)			
55965-84-9					

# 12.2. Persistence and degradability

Persistence and degradability No information available.

### 12.3. Bioaccumulative potential

**Bioaccumulation** 

There is no data for this product.

#### **Component Information**

Chemical Name	Partition coefficient	Bioconcentration factor (BCF)
Vinyl acetate 108-05-4	0.73	-
Methyl alcohol 67-56-1	-0.77	10
2-Bromo-2-nitro-1,3-propanediol 52-51-7	0.22	3.15
Mixture, 3(2H)-isothiazolone, 5-chloro-2-methyl- with 2-methyl-3(2H)-isothiazolone 55965-84-9	-	3.6

# 12.4. Mobility in soil

Mobility in soil

No information available.

# 12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical Name	PBT and vPvB assessment
2,2,4-Trimethyl-1,3-pentanediol diisobutyrate 6846-50-0	The substance is not PBT / vPvB
Vinyl acetate 108-05-4	The substance is not PBT / vPvB PBT assessment does not apply
Methyl alcohol 67-56-1	The substance is not PBT / vPvB PBT assessment does not apply
2-Bromo-2-nitro-1,3-propanediol 52-51-7	The substance is not PBT / vPvB
Mixture, 3(2H)-isothiazolone, 5-chloro-2-methyl- with 2-methyl-3(2H)-isothiazolone 55965-84-9	The substance is not PBT / vPvB

# 12.6. Other adverse effects

# **Other Adverse Effects**

No information available.

Endocrine Disruptor Information

#### BOSTIK PVA Supercedes Date: 14-Aug-2017

-	
EU - Endocrine Disrupters	EU - Endocrine Disruptors -
Candidate List	Evaluated Substances
Group III Chemical	-
	Candidate List

# SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/ container to an approved landfill.
Contaminated packaging	Do not reuse empty containers. Handle contaminated packages in the same way as the product itself.
Other Information	Waste codes should be assigned by the user based on the application for which the product was used.

# **SECTION 14: Transport information**

Note:	Keep from freezing.	
Land transport (ADR/RID) 14.1 UN Number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing Group 14.5 Environmental hazards 14.6 Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None	
IMDG 14.1 UN Number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing Group 14.5 Marine Pollutant 14.6 Special Provisions 14.7 Transport in bulk according t	Not regulated Not regulated Not regulated Not regulated Np None to Annex II of MARPOL 73/78 and the IBC Code	No information available

# Air transport (ICAO-TI / IATA-DGR)

14.1 UN Number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

# Section 15: REGULATORY INFORMATION

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical Name	CAS No.	Restricted substance per REACH Annex XVII
Methyl alcohol	67-56-1	69.

#### EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide : Contains C(M)IT/MIT (3:1). May produce an allergic reaction

#### Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical Name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Methyl alcohol - 67-56-1	500	5000

# Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

#### National Regulations

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

# SECTION 16: Other information

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

- H335 May cause respiratory irritation
- H351 Suspected of causing cancer
- H332 Harmful if inhaled
- H225 Highly flammable liquid and vapour
- H412 Harmful to aquatic life with long lasting effects
- H302 Harmful if swallowed
- H312 Harmful in contact with skin
- H315 Causes skin irritation
- H318 Causes serious eye damage
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

H301 - Toxic if swallowed

BOSTIK PVA Supercedes Date: 14-Aug-2017

H311 - Toxic in contact with skin

H330 - Fatal if inhaled H314 - Causes severe skin burns and eye damage H317 - May cause an allergic skin reaction H331 - Toxic if inhaled H370 - Causes damage to organs H361d - Suspected of damaging the unborn child Leaend SVHC: Substances of Very High Concern for Authorisation: Legend SECTION 8: Exposure controls/personal protection TWA (time-weighted average) STEL STEL (Short Term Exposure Limit) TWA Ceiling Maximum limit value Skin designation PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure EWC: European Waste Catalogue Key literature references and sources for data Classification and labeling data calculated from data received from raw material suppliers

Prepared By	Product Safety & Regulatory Affairs
Revision Date	31-Oct-2018
Indication of changes	
Revision Note	Not applicable.
Training Advice	No information available
Further information	No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **End of Safety Data Sheet**